

4.3 Continued

~~Find~~ Let $N(t) =$ number of cases

Find dif eq for $N(t)$.

| | N | $\frac{dN}{dt}$ | ← Estimate |
|---|-----------|-----------------|------------|
| 1 | k | | |
| 2 | λ | | |
| 3 | λ | | |

25

How does $\frac{dN}{dt}$ depend
on N and/or t ?

$$\frac{dN}{dt} = cN \quad \leftarrow \text{Assume rate of growth} \propto N$$

Plot ~~$\frac{dN}{dt}$~~ $\frac{1}{N} \frac{dN}{dt}$ as function of ~~t~~

One possible model:

$$\frac{1}{N} \frac{dN}{dt} = at + b$$

Use graph to estimate a, b

Another model

Plot $\frac{dN}{dt}$ as function of N


If $\frac{dN}{dt} = cN^p$, try

log-log plot.


$$\frac{dN}{dt} = cN^{-.78}, \quad c = e^5$$

Solve it, compare it to data.

derivative of number/number as function of time




ln(derivative of number) as function of ln(number)



§ 4. ~~4~~ 4

Example

free fall



$$m \frac{dv}{dt} = mg$$

$$\frac{dv}{dt} = g$$

$$v = gt + v_0$$

$$\frac{dx}{dt} = gt + v_0$$

$$x = \frac{1}{2}gt^2 + v_0t + x_0$$

Example

Add friction

Assume :

friction $\propto v^2$

$$m \frac{dv}{dt} = mg - kv^2$$

Equilibrium :

$$v_0 = \sqrt{\frac{mg}{k}}$$

terminal
velocity

